

Opening

imagination

Modeled on France

We are a member of the French Liebot Group – the largest manufacturer of windows, doors and facades in Europe. We maintain day-to-day cooperation with the Paris-based Diedre Design studio owned by François Buron. The experience and inspirations we draw directly from the fashion-oriented France allow us to transfer Western trends to Polish reality.



Inspired by the diversity of France, we have designed a collection of doors which embodies European aesthetics and takes you on a journey through styles.



France. A country where cultures from all over the world blend together, and the style of historic town houses mingles with modern architecture. The taste of freshly brewed coffee, the buzz of passers-by reverberating through narrow streets, the delicious smell of bread mixed with the aroma from a nearby restaurant, or eye-catching expressive artistic installations – all these are just a few of many elements which make up the colorful atmosphere of Paris.



⁰¹ Good combinations

A new day dawns. A journey through contrasts begins. Here, history opens up before modernity. Together they lead to countless combinations.



Gare du Nord





01 Symétrie Premium

—> INSTALLATION DEPTH 70 MM



—> égal

- stampings • *double-sided*
- decor • *none*
- glazing • *none*

—> proportion

- stampings • *double-sided*
- decor • *inox*
- glazing • *none*

☀ heat transfer coefficient (Ud) for the door
• up to 0,75 W/(m²·K)
for details on the heat transfer coefficient (Ud), see pp. 66-67

≡ resistance to wind load
• class C5

🔒 RC2 – burglar resistance class requires a certified door handle and lock cylinder (available as an option)



—> mesure*

- stampings • *double-sided*
- decor • *none*
- glazing standard • *decormat*
P2 Ug=0,5 W/(m²·K)
- optional glazing • *none*

—> calibre*

- stampings • *double-sided*
- decor • *inox*
- glazing standard • *decormat*
P2 Ug=0,5 W/(m²·K)
- optional glazing • *none*

* no feasibility RC2

⁰² Bold juxtapositions

Energy fills the reality. It adds freshness and unleashes unlimited possibilities.
It instigates bold changes which redefine traditional notions.



Boulevard de Clichy





02 Unique Premium

—> INSTALLATION DEPTH 70 MM



—> vedette

- stampings
 - *double-sided*
- decor
 - *none*
- glazing standard
 - *transparent*
- P4 Ug=0,5 W/(m²·K)*
- optional glazing
 - *decormat, reflective,*



—> perle*

- stampings
 - *double-sided*
- decor
 - *inox*
- glazing standard
 - *transparent*
- P4 Ug=0,5 W/(m²·K)*
- optional glazing
 - *decormat, reflective,*

☀ heat transfer coefficient (Ud) for the door

- *up to 0,83 W/(m2·K)*

for details on the heat transfer coefficient (Ud), see pp. 66-67

≡ resistance to wind load

- *class C5*

* model is not available in wood-like version

🔒 RC2 – burglar resistance class requires a certified door handle and lock cylinder (available as an option)

⁰³ Natural
inspirations

Time is slowing down. A brief respite. Open space contrasts with cozy streets.
Natural shapes fill surrounding recesses.



Montmartre





03 Essence Premium

—> INSTALLATION DEPTH 70 MM



—> brume

- stampings • none
- decor • none
- glazing • none



—> cube rubik

- stampings • double-sided
- decor • none
- glazing • none



—> mirage

- stampings • double-sided
- decor • none
- glazing • none



—> feuille*

- stampings • double-sided
- decor • none
- glazing • none



—> leur

- stampings • double-sided
- decor • none
- glazing • none



—> cascade

- stampings • double-sided
- decor • none
- glazing • none



—> flamme

- stampings • double-sided
- decor • inox
- glazing • none

☀ heat transfer coefficient (Ud) for the door
• up to 0,75 W/(m²·K)

for details on the heat transfer coefficient (Ud), see pp. 66-67

≡ resistance to wind load
• class C5

🔒 RC2 – burglar resistance class requires a certified door handle and lock cylinder (available as an option)

* model is not available in wood-like version

⁰⁴ Moving directions

A perfect link between the past and the future. It takes you on a journey through inspirations.
It sets an unlimited number of directions leading to the discovery of a new reality.



Métro de Paris





04 Lune Premium

—> INSTALLATION DEPTH 70 MM



—> ligne

- stampings • *double-sided*
- decor • *none*
- glazing • *none*



—> lien

- stampings • *double-sided*
- decor • *none*
- glazing • *none*




—> piano*

- stampings • *double-sided*
- decor • *inox*
- glazing • *none*



—> ornement

- stampings • *double-sided*
- decor • *none*
- glazing standard • *transparent*
P4 Ug=0,5 W/(m²·K)
- optional glazing • *decormat, reflective*



—> âme

- stampings • *double-sided*
- decor • *none*
- glazing standard • *transparent*
P4 Ug=0,5 W/(m²·K)
- optional glazing • *decormat, reflective*



—> éclipse

- stampings • *double-sided*
- decor • *inox*
- glazing standard • *transparent*
P4 Ug=0,5 W/(m²·K)
- optional glazing • *decormat, reflective*

☀ heat transfer coefficient (Ud) for the door
• *up to 0,75 W/(m²·K)*

for details on the heat transfer coefficient (Ud), see pp. 66-67

≡ resistance to wind load
• *class C5*

* model is not available in wood-like version

🔒 RC2 – burglar resistance class requires a certified
door handle and lock cylinder (available as an option)





05 Saveur Premium

—> INSTALLATION DEPTH 70 MM



—> tour

- stampings • *double-sided*
- decor • *inox*
- glazing standard • *transparent*
P4 Ug=0,5 W/(m²·K)
- optional glazing • *decormat, reflective*



—> lumière

- stampings • *double-sided*
- decor • *none*
- glazing standard • *transparent*
P4 Ug=0,5 W/(m²·K)
- optional glazing • *decormat, reflective*



—> route

- stampings • *double-sided*
- decor • *none*
- glazing standard • *transparent*
P4 Ug=0,5 W/(m²·K)
- optional glazing • *decormat, reflective*



—> arome

- stampings • *double-sided*
- decor • *none*
- glazing standard • *transparent*
P4 Ug=0,5 W/(m²·K)
- optional glazing • *decormat, reflective*



—> vent

- stampings • *double-sided*
- decor • *inox*
- glazing standard • *transparent*
P4 Ug=0,5 W/(m²·K)
- optional glazing • *decormat, reflective*



—> jardin

- stampings • *double-sided*
- decor • *inox*
- glazing standard • *transparent*
P4 Ug=0,5 W/(m²·K)
- optional glazing • *decormat, reflective*



—> néons

- stampings • *double-sided*
- decor • *inox*
- glazing standard • *transparent*
P4 Ug=0,5 W/(m²·K)
- optional glazing • *decormat, reflective*

☀ heat transfer coefficient (Ud) for the door
• *up to 0,83 W/(m²·K)*
for details on the heat transfer coefficient (Ud), see pp. 66-67

🛡 resistance to wind load
• *class C5*

🔒 RC2 – burglar resistance class requires a certified door handle and lock cylinder (available as an option)

⁰⁶ Unexpected match

A spark. A surprising composition that builds rather than destroys. Fitted into the existing tissue, it reinterprets the everyday life. It inspires you to create new juxtapositions.



Rue Duperré





06 Linéarité
Premium

—> INSTALLATION DEPTH 50 MM



—> lisse

- stampings • none
- decor • none
- glazing • none



—> coffre

- stampings • double-sided
- decor • none
- glazing • none



—> carré

- stampings • double-sided
- decor • none
- glazing • none



—> raie

- stampings • double-sided
- decor • none
- glazing • none



—> ruban

- stampings • double-sided
- decor • none
- glazing • none



Out of the box

The door does not have to be the same color as the windows. Our clients are well aware of that. We offer original products and innovative technologies. We do not stick to common standards. Instead, we focus on the diversity of patterns, colors and sizes. We open up your imagination and inspire you to make bolder choices.



A palette of possibilities

The entrance door is the focal point of every house. We create exclusive patterns and select attractive colors. Our doors lend houses a unique personality and help to highlight their distinct character.

Made to measure

We are willing to go the extra mile: we make doors that are higher, lower, wider or narrower. We offer custom size doors made to the customer's specifications. We cater to our customers' needs, providing tailored solutions which are based on customer expectations and perfectly integrated into the interior.

Stylish functionality

There is more to our doors than just design. Backed by years of experience, we develop innovative technologies and provide reliable materials which ensure a high comfort of living for our customers. Putting security first, we offer burglar-resistant doors compliant with the RC2 standard. We also provide energy-efficient solutions which effectively protect against cold creeping in from outside, while keeping the homely warmth in.

Quality down to the finest details



Robust hinge

All our doors come with 4 hinges which are not only robust but also beautifully designed: they have anodized aluminum covers matching the color of the handrail or handle. In addition, the hinges are equipped with a special bushing which ensures long-time comfortable use.



Decor to match

Our technology enables durable and stable embedding of a stainless steel decorative application in a stamping. The shapes of specially prepared recesses match the applications down to the millimeter, guaranteeing a perfect fit.



Sealed threshold

We only use aluminum thresholds with a built-in thermal break which ensures house insulation and protects the inhabitants against heat loss and related high heating bills.



Durable door frames

Door frames aesthetically complement our doors. Similarly to thresholds, they are made of aluminum with a thermal break ensuring high insulation performance.



Color palette

We use the RAL color palette which enables us to paint the doors in a wide spectrum of colors. For those who love classic solutions, we have prepared a standard color range corresponding to window frame colors.




Safe glazing

We use an exclusive glass embedding technology which does not affect the door's aesthetic design. The application of security film (P4) to glazing provides anti-burglar protection for the glass components. The glazing packages we use in our door sashes guarantee top performance parameters in terms of air permeability or watertightness.



Warm edge spacer bars

We are the only manufacturer to use warm edge spacer bars characterized by high energy efficiency. They provide perfect insulation and minimize condensation on the door surface or glazing. Our spacer bars are also highly aesthetic – their black color makes the junction between the glazing and the door sash look especially attractive.



Confident choice

The quality of Vetrex products goes beyond the declared performance characteristics. Apart from our own laboratory, all our products systematically undergo objective assessments conducted by experts and employees of scientific institutes. The key properties of our products are always confirmed by the results of independent tests.

Playing with style


The choice of your preferred model is only the beginning. The next step is the selection of a color that will reflect the personality of the owner. It is also a good idea to add attractive glazing or a decor as a finishing touch to your door. We offer burglar-resistant glazing in as many as four different variants as a standard. All metal decorations come in the unique INOX color.

01 Types of glazing



02 Color palette

SMOOTH PAINTS



STRUCTURAL PAINTS



SPECIAL PAINTS




WOOD-LIKE VENEERS



Door hardware

Accessories complement any outfit. Handrails and handles that decorate the door serve the same purpose. Our offer includes carefully selected accessories in various shapes, lengths and colors which allow for a multitude of attractive combinations.

01 Handrails




AVAILABLE COLORS




inox

02 Handles



03 Handle-knob handle



AVAILABLE COLORS



titanium

inox

silver

old gold

Equipment variant

STANDARD COMPONENTS														
		Ud coefficient for full door	Ud coefficient for glazed door	warm aluminum frame	increased corrosion- resistant technology	one-sided decor	double-sided stampings	1-point lock	3-point lock	anti-burglar protection				
INSTALLATION DEPTH	70 mm	Ud=0,75 W/(m²·K)	Ud=0,83 W/(m²·K)	+	+	+	+	—	+	+				
	50 mm	Ud=0,92 W/(m²·K)	—	+	+	—	+	+	—	—				
		4 adjustable 3D hinges with silver-colored aluminum cover	double-sided handle brillant	class A lock cylinder nickel	P4 transparent package Ug=0,5 W/(m²K) ***	black-colored warm edge spacer bars	warm aluminum threshold							
INSTALLATION DEPTH	70 mm	+	+	+	+	+	+							
	50 mm	+	+	+	—	—	+							
OPTIONAL COMPONENTS														
		burglar resistance class RC2 ***	P4 packages (decormat, reflective) ***	viewer (standard with display, electronic with doorbell and camera function)	additional lock with 1 key system	double-sided decor	fanlights and sidelights	knob-handle	single- and double-sided handrail	day/night function	electric strike lock	automatic lock	magnetic contact	RC2-compliant lock cylinder
INSTALLATION DEPTH	70 mm	+	+	—	+	+	+	+	+	+	+	+	+	+
	50 mm	+	—	+	+	—	—	+	—	—	—	+	—	+

Time for a breakthrough

We are committed to sustained investments which can further our business growth. We run our own laboratory which conducts ongoing tests and works on enhancing our products.

We are the only manufacturer in the market to offer doors with the innovative coatings which demonstrate exceptional resistance to adverse weather conditions. A special zinc, aluminum and magnesium alloy achieves unprecedented anti-corrosion properties. It is also distinguished by its high flexibility and low weight, while being environmentally friendly due to a limited amount of zinc waste during its production.

All doors are finished with the use of the state-of-the-art powder coating technology. This method provides not only durable coatings, but also an elegant texture with the appropriate color depth.

High productivity

- | | |
|---|--|
| → We have a state-of-the-art technology park with the area of 6,000 m². | → Our production capacity reaches 18,000 doors yearly. |
| → We have two fully automated production lines equipped with a punching machine or polyurethane injection capability. | → Thanks to our own quality assurance and control service, we are able to guarantee timeliness, completeness and the highest level of workmanship. |





Liebot Group owes its leading market position to many years of experience, investments in innovative technologies, and the development of its own manufacturing tools. Choosing products from the leading European manufacturer of windows, doors and façades is a guarantee of unsurpassed material quality and high safety.

-
- | | |
|---|-------------------|
| → 550 mln € of annual turnover | → 12 companies |
| → Own foundry and galvanizing plant | → 2 000 employees |
| → 50 years of experience in door manufacturing | → 15 plants |
| → Onsite production of manufacturing tools and machine components makes the company totally independent | |
-



We have over 20 years of experience. We are famous for our wide range of windows and entrance doors distributed throughout Europe. We create energy-efficient solutions and bold architectural structures. Our products represent diverse design styles, technical precision and high functionality.

Leading European manufacturer
of windows, doors and façades



-
- | | | | | | |
|-------------------|----------------------|--|------------------|------------------------------------|--------------------|
| 01 | 02 | 03 | 04 | 05 / 06 | 07 |
| → K-Line
Spain | → Bipa Sud
France | → Ouest Alu
MC France
K-Line
CAIB
France | → Bipa
France | → Groupe Liebot
Italy / Germany | → Vetrex
Poland |



Open to new possibilities

Let our doors make your house special.

VETREX Sp. z o.o. / ul. Skarszewska 13 / 83-110 Tczew / Rokitki

→ *The presented material is for illustration purposes only and is not an offer within the meaning assigned by the Polish Civil Code. The manufacturer reserves the right to introduce changes in the stampings, decors, glazing appearance and product colors presented in the folder (including visualizations). The visualizations in the folder as well as the presented types of glazing, palette of colors, veneers and bonds are for illustration purposes only and may differ from actual materials, including colors and patterns.*

Find your local showroom at:

www.vetrex.eu